


SEED MIX

70% TALL FESCUE (ALTA, BOYAGER, ORFAWN)
20% PERENNIAL RYE
10% WHITE CLOVER

APPLICATION RATE

5# SEED
7# FERTILIZER(10-20-20)
50# WOOD FIBER MULCH


1' MIN. OR GREATER AS
REQUIRED FOR PEAK FLOW
CONVEYANCE WITH HALF
FEET OF FREEBOARD.



SWALE CROSS SECTION

NTS

1. SEEDING OF SWALE SHOULD TAKE PLACE MARCH 1 - MAY 15 OR AUG 15 - OCT 1, SEEDING WILL BE ALLOWED MAY 16 - SEPT 30 ONLY WHEN IRRIGATION IS PROVIDED AND MAINTAINED.
2. SOD MAY BE USED PROVIDED IT MEETS SEED MIXTURE ABOVE OR IS OVER SEEDDED AT NEXT AVAILABLE PLANTING TIME.
3. WIDTH AND LENGTH DETERMINED BY ANTICIPATED FLOWS. OWNERS' ENGINEER TO SUBMIT CALCULATIONS TO CITY ENGINEER FOR APPROVAL.

 <p>City of Bremerton PUBLIC WORKS DESIGN/CONSTRUCTION STANDARDS</p>	<p>TYPICAL BIOFILTRATION SWALE</p> <p>Alteration of this drawing is prohibited. Any approval of an altered drawing is unauthorized and void.</p>	<p>4075</p>
		<p>Revision Date 10/6/15</p>